
ENYA

Lusso & Avalon BTW Baths

INSTALLATION MANUAL
PRODUCT CARE & MAINTENANCE
WARRANTY GUIDE

BATHS INSTALLATION MANUAL





Freestanding Bath Installation Manual

Enya recommends that a qualified tradesperson install this bath and plumbing works - all aspects of the installation process should be in accordance with the building code.

The product has a comprehensive warranty against any manufacturing faults. See further details of the warranty on page 8. It is important to check the product thoroughly prior to installation for any damage or visible defects.

If defects are found due to manufacturing faults or any transit damage, then goods should not be installed and you should contact 0800 508 009, visit www.harrisonbloy.co.nz or email info@harrisonbloy.co.nz for further information. Installing the product indicates it has been thoroughly checked and condition accepted.

For correct installation, follow the instructions properly. After installation is complete, please ensure the homeowner has a copy of this document for future reference.

GENERAL INSTALLATION INSTRUCTIONS

IMPORTANT

- Please unwrap the bath and check it carefully to ensure it has not been damaged during handling or transport, and check that all parts have been supplied.
- It is recommended that the bath is assembled (if required) on a mat to protect against damage to the bath surface.
- Store the bath in a safe place until you begin installation. Installation should be carried out by a qualified, licensed tradesperson.
- These installation instructions do not include details of the waste and trap connection; decisions and installation of the waste and trap connection should be carried out by a qualified, licensed tradesperson.

WASTE & TRAP

The illustrations in this guide show installation using a low profile trap and top fix pop up waste as shown. This type of waste and trap is recommended for ease of installation.



TOOLS TO USE




INSTALLATION GUIDE

For optimum results the bathroom floor should be level. If an acrylic bath is going to be placed below a bath to ceiling window, where it is exposed to direct and full sunlight,

We recommend painting both inner front side walls of the bath. This is to minimise sunlight penetrating through the bath creating shadow lines.

- 1. Enya baths are supplied on an integrated support with adjustable feet. Place the bath in the desired position. Note: Waste placement and plumbing requirements should have been determined and prepared by this stage. Once in the desired position adjust the bath feet so that the baths surround is touching the floor.
- 2. Using the spirit level check to ensure the top edge of the bath is level. If necessary, use the levelling feet to adjust. Adjusting the feet will cause the acrylic surround to lift off the floor.


BATH INSTALL DETAIL LEG



- 3. Carefully tilt the bath backward and apply an appropriate adhesive to each of the bath feet.
- 4. Connect the waste and lower the bath into position.
- 5. As an option, once the bath is in its final position the acrylic surround may be sealed to the floor using a sanitary grade silicone. Leave to cure for a minimum of 24 hours with no water.



6. Mark on the floor the final position where the bath will sit, including the centre of the bath waste.




7. Remove the bath and connect the waste in position.

Note: The illustrations in this guide show installation using a low profile trap and top fix pop up waste, providing they will fit in the cavity underneath the chosen bath. (see figure 1). If you are using a conventional PVC waste you will need to allow space underneath the bath for connection (see figure 2).

Figure 1

8. Place the bath back into position and adjust the feet using adjustable wrench. Adjust sufficiently so as to remove any wobble in the bath, at the same time ensuring the bath is sitting level and as close as possible to the floor.

Note: To undertake this procedure you will need to tilt the bath over to access the feet, and then lower it again to check the stability/level.




IMPORTANT!


This procedure is to secure the bath in place so that it doesn't move or tip.

9. Remove the bath again and apply a thick bead of silicone to the footprint of where the bath will finally sit.

10. Lower the bath back into position and install the waste. Clean up excess silicone and allow time for the silicone to set before use.




11. If you are installing a Back To Wall bath, also apply a bead of silicone to the back and sides.





DO NOT RUN WATER UPON INSTALLATION FOR 24 HOURS

PRODUCT CARE & MAINTENANCE





Product Care & Maintenance

CLEANING METHODS

CARE & CONDITIONS OF USE


Clean the product with water and mild detergent. Abrasive or corrosive cleaners, steel wool, acetone, dry cleaning products or ammonia compounds must never be used to clean the product. If a bath mat is used, it must be removed right after each use. We recommend the use of cleaning products that are made for acrylic specifically.

This product is made from a durable & robust material that will give you years of use. However please note the following to avoid damage to your product:

- After each use thoroughly clean the surface with warm soapy water.
- Before applying cleaning products to the surface carefully read all instructions first.
- Do not use products that contain:
 - Alcohol
 - Solvents
 - Hair dye
 - Acetone
 - Bleach
 - Abrasives
 - · Citrus bases chemicals
- Do not allow water temperature to exceed above 55°C



WARRANTY GUIDE







THE ENYA WARRANTS THE PRODUCT AGAINST ANY MANUFACTURING FAULTS FOR DOMESTIC AND LIGHT COMMERCIAL INSTALLATIONS (FOR EXAMPLE, APARTMENTS AND REST HOMES) AS FOLLOWS:

PRODUCT CATEGORY	WARRANTY PERIOD
Acrylic Baths	10 years

COMMERCIAL WARRANTY PERIOD

For products installed in a commercial situation a 12-month warranty applies from date of purchase. Commercial situations are defined as public washrooms, public buildings, school, sport centers, motels & hotels.

CONSUMER GUARANTEES ACT 1993 ("CGA")

The warranty referred to in this booklet do not limit or affect your rights and remedies under the CGA. The manufacturers' warranties are in addition to your rights and remedies under the CGA. For further information on your rights and remedies under the CGA please go to consumerprotection.govt.nz.

WARRANTY CONDITIONS

- We will undertake to replace free of charge any faulty product due to defects in materials or manufacturer workmanship within the warranty period (proof of purchase must be retained).
- We will also supply parts and labour costs for the replacement or repair of any faulty product within Two (2) Year of installation date.
- We reserve the right to assess, repair, replace or service any warranty claims as they see fit. The above warranties are upheld providing the products have been used for normal domestic only and exclude any defect or injury caused by or resulting from misuse, abuse or neglect, accidental damage, improper installation or other alterations or modifications which affect the reliability or performance of the item not attributed to faulty manufacture.
- The above warranties do not apply to the replacement of products where damage is caused by normal wear and tear, where the hot water temperature exceeds 55°C or where the warranty claim has not been notified to us within ninety (90) days of the problem first appearing.
- The above warranties do not include consequential loss or damage due to the product.
- **IMPORTANT NOTE:** Under no circumstances tile Back To Wall Baths 'into' the wall, any labour costs associated with warranty claims when the bath has been tiled into the wall will not be covered.



WHAT TO DO SHOULD A PROBLEM ARISE

In the first instance, please contact the merchant from which you purchased the product. You will need our proof of purchase from the merchant to assist you with your warranty claim or claim under the CGA. Your claim will be assessed in a timely manner by your local Harrison Bloy representative.

This booklet was last updated in October 2025.

